





Success Rates

1. Study Participants: 200 Children with Intractable Seizures Study a happing: 200 child children with macable science.
Initial results 48% response rate with 28% > 90% Control
With KetoCal 80% response rate with 37% > 90% Control



1. Blood work needed (baseline and monitoring)

Blood work needed (baseline and monitoring)
Complication and Side Effect Management
Emergencies


4. Weaning off Drugs



Mile Stones in Our Story

- Diagnosis
- •
- Drugs "Try the Atkins Diet" Google search Patient #13 First Six Months of the Diet :
- .
- Trial Wean at the Two Year Mark (15 ave/day) Identified some Sensitivities
- . Now Seizure Free









MAD Resources

- www.MyKetoCal.com
- www.CharlieFoundation.org
- www.AtkinsForSeizures.com
- Atkins Diet for Seizures eBook
- The Ketogenic Diet (book) Freeman/Kossoff



www.MyKetoCal.com

- KetoCal Product
- Recipes
- Ketogenic Diet Centers













Dr. Kossoff Discusses The Modified Atkins Diet (MAD) for Seizures - Part One (of Three) * Ivia the Mod Diever Fine the Kingenc Die? * Vers the Diet Modified of Offeners Diet Net Avan Diet? * Vers the Modified of Offeners Tyte Avan Die Interded of the Kingenc Die? * Jamp to Part Tier of Part Three





Potential Side Effects

- Constipation
- Kidney Stones
- High Cholesterol
- Slow/Delayed Growth

When to Wean Drugs

- \blacktriangleright Under the Direction of a Doctor
- $\succ \operatorname{Not}$ When Starting the Diet
- > Potential Conflict with Diet



More Information?

- <u>www.AtkinsForSeizures.com</u> (mailing list, articles section)
- Ketogenic Diet book & eBook
- <u>www.MyKetoCal.com</u>
- <u>admin@atkinsforseizures.com</u>
- Dr. Kossoff (email on my site)
- Webinar June 13th "Advances and Practical Application of the Modified Atkins Diet"